

**#BORNTOGRIP** 

# 23%

OF WORKPLACE INJURIES ARE DUE TO SLIPS AND FALLS

# 200,000

**WORK STOPPAGES PER YEAR** 

# 8.7 millions

OF WORKING DAYS LOST EVERY YEAR\*

\*All sectors of activity combined

Source: CNAMTS (National Health Insurance Fund for Employees), lost working days per year.

# **ADHERA** DISRUN

**DESIGNED IN EUROPE** 

SRA Ceramic solution Ceramic tiles with a soapy libricating



Slip resistance heel to toe Minimum requirement: 0.28 Adhera result: 0.69



Slip resistance on the flat forwards Minimum requirement: 0.32 Adhera result: 0.63

# THE SHOE WITH THE WORLD'S **BEST GRIP\***



The wetter or more slippery the surface, the better ADHERA footwear with the DISRUN GRIP sole will grip! Its exceptional efficiency is based on an exclusive rubber formula combined with a specific tread pattern on the sole. The pressure of the foot in contact with wet or slippery surfaces will generate a completely imperceptible "suction cup effect" through the action of a hundred or so studs.

#### **GRIPS 500% BETTER THAN STANDARDS**

#### **GRIP COEFFICIENT OF 0.69 IN THE LYON CTC TEST**

No other shoe in the world can claim to challenge it or even match it. In fact, the test carried out by the Centre Technique du Cuir gives it a grip coefficient of 0.69, the highest ever obtained on a lubricated stainless steel surface!

> Stainless steel with glycerine based lubricant



Slip resistance heel to toe Minimum requirement: 0.12 Adhera result: 0.62



Slip resistance to sliding on the flat forwards Minimum requirement: 0.16 Adhera result: 0.69



#### **EAGLES/DR-08**

No toe cap EVA clog.

SIZE: EU 33-34 TO 47-48 US 5 TO 12 COLOUR: Black WEIGHT: 270g for size 42



FIELD OF APPLICATION FOOD,
MEDICAL & NAUTICAL SECTOR.SPA

#### SOLE

- Non-slip and non-marking rubber insole
- removable breathable, antibacterial insole, with high-density foam and shock absorbing heel.

#### UPPER

- EVA Upper
- Pre-drilled side holes to evacuate water and for better breathability
- Removable strap for perfect heel support



## CHIEFS/DR-81

No toe cap EVA clog.

SIZE: EU 33-34 TO 47-48 US 5 TO 12 COLOUR: Black WEIGHT: 260g for size 42



FIELD OF APPLICATION FOOD, MEDICAL, SPA, CATERING, NAUTISM

#### SOLE

- Non-slip and non-marking rubber outsole.
- Removable, breathable, antibacterial insole, with high-density foam and shock absorbing heel.

#### **UPPER**

- EVA upper, closed heel.
- Wide fit clog, loose and comfortable.
- Pre-drilled side holes to evacuate water and for a better breathability.



#### DODGERS/DR-098

Safety toe cap EVA clog.

SIZE : EU 33-34 TO 47-48 US 5 TO 12 COLOUR : Black WEIGHT : 270g for size 42



FIELD OF APPLICATION FOOD,
MEDICAL, SPA, CATERING, NAUTISM

#### SOLE

- Non-slip and non-marking rubber insole
- Removable, breathable, antibacterial insole, with high-density foam and shock absorbing heel.

#### UPPER

- · EVA upper, closed heel.
- Wide fit clog, loose and comfortable.
- Pre-drilled side holes to evacuate water and for a better breathability.
- Sneaker equipped with a safety composite toe cap, offering a protection against 200J minimum shock and a crush load of at least 15Kn.



### JETS/DR-7101

Slip-on sneaker, both trendy and casual.

SIZE: 36 to 46 COLOUR: Black/White WEIGHT: 360g for size 42



FIELD OF APPLICATION FOOD,
MEDICAL & NAUTICAL SECTOR, SPA

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- Oil-proof, waterproof, ASTM slip resistant, SRC slip resistant
- Thickened high elasticity sponge insole, soft and comfortable

#### UPPER

 Microfiber (Waterproof, oil-proof, easy to clean)



#### **SHARKS**

Slip-on S2 safety sneaker.

ISO 20345 : 2011 S2 SRC SIZE : 36 to 47
COLOUR : Black WEIGHT : 540a for size 42



FIELD OF APPLICATION FOOD, INDUSTRY, LOGISTICS. SHIPYARDS. PETROCHEMICALS



- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- Polyurethane midsoles
- Removable, antibacterial, absorbent polyurethane insole, bonded fabric, with EVA heel Shock Absorber.

#### UPPER

- Synthetic microfiber upper, polyurethane coated textile, smooth leather look, supple, breathable, antibacterial, waterproof, wipe-clean with a damp sponde
- Mesh knit inner lining.
- Sneaker equipped with a steel tip, offering protection against impacts equivalent to at least 200 J and against crushing under a load of at least 15 kN.



VENOM Slip-on sport shoe with an avant-garde design.

REGULATION (EU) 2016/425 CLASS I PPE

SIZE: SIZE: 38 to 47

COLOUR: Black WEIGHT: 340g for size 42



FIELD OF APPLICATION FOOD, INDUSTRY, LOGISTICS, SHIPYARDS, PETROCHEMICALS

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- EVA interlayer sole.
- Removable, antibacterial, absorbent polyurethane insole, bonded fabric, with EVA heel Shock Absorber.

#### **UPPER**

- On Micro Carbone 2.0' synthetic microfiber upper, polyurethane coated textile, carbone look, supple, breathable, antibacterial, waterproof, wipe clean with a damp sponge.
- Lycra inner lining, foam-lined opening, easy to put on and optimum comfort.

Outsole: Professional and

Water Slip Resistant Technology

• PU mono density Interlayer sole

Anti-perforation textile composite

Comprehensive Oil and

offering optimal comfort.

 Removable comfort insole, antibacterial, PU absorbent, laminated

insert, high tenacity.



#### SHIELD

S3 SRC safety high shoes.

ISO 20345 : 2011 S3 SRC SIZE : 36 to 47 COLOUR : Black WEIGHT : 630g for size 42



FIELD OF APPLICATION INDUSTRY, LOGISTICS, SHIPYARDS, PETROCHEMICALS

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- PU mono density interlayer sole
- Anti-perforation textile composite insert, high tenacity.
- Removable comfort insole, antibacterial, PU absorbent, laminated fabric, with EVA heel Shock Absorber.

#### UPPER

- Microfiber stem with a « Soft Touch » aspect, offering a Premium protection and look. «Peach skin » touch, silk, souple, pleasant touch, waterproof.
- Breathable absorbent mesh lining.
- Silicon protection patch on the external side of the shoes prevents any shock on the ankle and protects the malleolus.
- Sneaker equipped with a safety steel toe cap, offering a protection against 200J minimum shock and a crush load of at least 15Kn.



#### **MAMBA**

S3 SRC safety lace fastening shoes.



FIELD OF APPLICATION FOOD, INDUSTRY, LOGISTICS, SHIPYARDS, PETROCHEMICALS

# fabric, with EVA heel Shock Absorber. UPPER

SOLE

(W.O.S.R)

- Water resistant microfiber stem with a « Soft Touch » aspect, offering a Premium protection and look, and optimum comfort. «Peach skin » touch, silk, souple, pleasant touch.
   Waterproof and resistant to chemical agents.
- Breathable absorbent mesh lining.
- Sneaker equipped with a safety steel toe cap, offering a protection against 200J minimum shock and a crush load of at least 15Kn.



**SLIDE** 

Sneaker designed for comfort and style.

REGULATION (EU) 2016/425 CLASS II PPE EN ISO 20347:2012 OB SRC SIZE: 36 to 48 COLOUR: Black WEIGHT: 440g for size 42



FIELD OF APPLICATION FOOD, HOTELS, CITY, SPA, HOUSEKEEPING, MEDICAL



#### **RIVERSIDE**

Trendy lace-up service shoe, microfiber upper. Avoid use in kitchens or very damp environments.

SIZE: 39 to 47

COLOUR: Black WEIGHT: 600g for size 42



FIELD OF APPLICATION FOOD, CATERING, HOSPITALITY, CITY

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- EVA interlayer sole.
- Removable, antibacterial, absorbent polyurethane insole, bonded fabric, with EVA heel Shock Absorber.

#### UPPER

SOLE

UPPER

supple.

• Outsole: Professional and

· Leather comfort insole for

· Leather upper, sleek look.

Very supple leather lining.

Comprehensive Oil and

Water Slip Resistant

optimal comfort.

Technology (W.O.S.R)

- On Micro Leader 1.4' synthetic microfiber upper, polyurethane coated textile, smooth leather look, supple, breathable, antibacterial, waterproof, wine-clean with a damp spane.
- wipe-clean with a damp sponge.
   Coolmax' effect inner lining:
  breathable polyester mesh, wicks
  moisture away from the foot for
  maximum comfort, very high
  resistance to abrasion and
  repeated rubbing.



#### **ZEBRING**

A timeless derby shoe, popular for its robustness.

SIZE: 39 to 47

COLOUR: Black WEIGHT: 500g for size 42

& S 000

FIELD OF APPLICATION FOOD,
HOSPITALITY, CITY

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- Comfort insole in microfiber textile.

#### **UPPER**

- On Micro Pro 1.8' synthetic microfiber upper, polyurethane coated textile, smooth leather look, supple, breathable, antibacterial, waterproof, resistant to chemical agents, wipe-clean with a damp sponge.
- Rub resistant textile lining for optimum comfort.



# ATHLETICS /DR-7105

Ultra-light lace-up sneakers.

SIZE: 35 to 47 COLOUR: Black WEIGHT: 280g for size 42

1 4º D

FIELD OF APPLICATION FOOD, SPA, MEDICAL

#### SOLE

- Outsole: Professional and Comprehensive Oil and Water Slip Resistant Technology (W.O.S.R)
- Removable, breathable, antibacterial insole, with high-density foam and shock absorbing heel.
- EVA midsole.

#### **UPPER**

- Microfiber upper with a carbon print; perforated for a better breathability.
- · Decorative elastic no tie shoelaces.



#### **LUGANO**

Comfortable and resistant work clog. Leather upper. Slip resistant ADHERA outsole. EN 20347 O+E SRC Standard

SIZE: 35 to 48

COLOUR: Black WEIGHT: 800 a for size 42



FIELD OF APPLICATION FOOD, HOTELS

#### SOLE

- Non-slip and non-marking
- Rubber outsole.
- · Polyurethane midsole.

#### **UPPER**

- · Smooth, full-grain leather upper, polyurethane coating. Split leather inner lining.
- · Textile comfort insole, resistant to repeated rubbing.



#### **PROSAFE**

SIZE: 38 TO 46

COLOUR: Black WEIGHT: 1.3 kg for size 42



FIELD OF APPLICATION FOOD, INDUSTRY, LOGISTICS, SHIPYARDS, PETROCHEMICALS

#### SOLE

- Anti-slip and Oil resistant.
- · Nitrite sole cast with cooling properties
- · PU mono density interlayer sole
- Anti-perforation textile composite insert, high tenacity.

#### UPPER

- Cowhide leather with embossed pattern
- · Sneaker equipped with a safety steel toe cap, offering a protection against 200J minimum shock and a crush load of at least 15Kn.
- Static electricity protection up to 120,000 ohms



Hvdrocarbon resistance



Antistatic



slip-resistance



Anti-perforation



Water-repellent upper



Ultra-lightweight shoe



Heel shock absorption

Anti-UV treatment



Metal free



Resistant to chemicals



Safety toe cup



Safety toe cup



Seawater resistant

Odor free



134/4 Krung Thon Buri Rd., Klongsan, Bangkok 10600 (BTS Krung Thon Buri Station, Exit 4)









